

WARRANTY 2 YEARS

ROBOT CLEANER MASTER

- ชนิดสื่อ PVC**
เหมาะสำหรับสระ ใวน้ำ หรือสระสำเร็จ
- ชนิดสื่อ FORM**
เหมาะสำหรับสระกระเบื้อง

- มาพร้อมตะกร้ากรองขนาดใหญ่ 2 อัน
- ระบบ Bluetooth สามารถเชื่อมต่อโทรศัพท์ได้
- ทำความสะอาดได้ทั้งพื้น และผนังสระ
- ทำความสะอาดได้ถึง 20 เมตร ต่อชั่วโมง
- สายยาวถึง 18 เมตร

- Input Voltage : 220-230V 50 - 60hz
- Output Voltage : DC 24V
- Power : 250W

www.motiongroup.co.th







**Robotic cleaner
Raptor
HJ3012**

Raptor is designed for swimming pools up to 200m². It's a new model with a modern, ergonomic design for optimal handling. Thanks to its electronic system, it cleans the floor, the walls and the water line in an optimal operating time. The waist bar surrounding the cleaner body enables a easy portable handle. Its innovative system of top access to the filter enables a easy wash while avoiding direct contact with the dirt or debris. Compatible with well-designed smart phone app, or individual remote controller



- 6 programs to choose
- 3 cycles cleaning 1/2/3h
- Only bottom Only wall
- Bottom+wall+water line



Main features

- Very agile with its 3 engines, it cleans effectively the floor, the walls or both at once.
- Out of water sensor
- Easy detachable two filter baskets
- Compatible with well-deigned smart phone / tablet app via Bluetooth (Requires Bluetooth 4.0/Android 4.4/iOS 5.0 or above)

Specification

Input voltage : 110V/220V
 Output voltage : 24V
 Power : 150W
 Cable length: 18m
 Cleaning surface: 200m²
 Filtering capacity : 20m³/h
 IP grade : cleaner IPX8, power supply unit IPX5
 Filtering size: 180um

Loading information

Package size:
 76 x 54 x 31.5cm (without caddy)
 79 x 56 x 48cm (with caddy)
 20GP: 210 pcs/150pcs
 40GP: 441 pcs /300pcs
 40HC: 504 pcs /300pcs
 Package weight – kg
 Net: 18
 Gross: 22


Quick Start & Important Guide

Thank you for choosing "Dpool Master"! In order to serve you better and have an optimum performance, please follow the instructions and guides bellow before using


1. The pool water condition must be within the following parameters:

PH: 7.0 – 7.4	Salt: Max 5,000 ppm
Temperature: 10°C(50°F) to 35°C(95°F)	Chlorine: Max 2 ppm

2. At the beginning of season, or in case there is many debris or silt on your pool floor, please note it's necessary to **clean the filter basket frequently for the first cleaning cycle**, for example every 5 minutes, otherwise it has risk of blocking the filter basket which will cause the robot has less power and difficulty in climbing pool wall.



3. Power supply unit should be properly positioned and fixed by the attached safety rope so as to avoid being pulled into pool.



4, **DO NOT** use "Dpool Master" robot as pool chemical dispenser/injector (for example chlorine), use professional chemical dispenser only.

DO NOT PUT ANY CHEMICAL
IN TO THE FILTER BASKET



5, Please note there are two kinds of brushing roller for Dpool Master: "PVC" roller and "PVC+Foam" roller, please ask your local supplier whom you buy from for a proper roller configuration

Pool material for "PVC" Roller Concrete/Vinyl/Liner	Pool material for "PVC+Foam" Roller Ceramic/Tile/Fiber Glass/Mosaic
--------------------------------------------------------	------------------------------------------------------------------------



PVC ROLLER



PVC+FOAM ROLLER